

FORM - FUNCTION - BEAUTY

Design features add grace, sensativity, strength and durability; Translating to pure art in motion.



THE BEAUTY OF WOOD GRIPS...LIKE FINELY CRAFTED GUNSTOCKS.

FORM

- 1. Ergonomically curved grip for maximum casting control.
- 2. Fore grips are triangular shaped to prevent rod roll-over for maximum control and stability on reeling / cranking in large fish. See Fig. 2
- 3. Curved rear grip for maximum casting distance and control.
- 4. Angled butt cap for comfort, power and control.

FUNCTION

1. Casting grip palm rest prevents your hand sliding down the grip and allows for better technique in handling fish.



No Payments + No Interest if paid in full in 6 months on purchases of \$99+

Check out with PayPal and choose PayPal Credit

Subject to credit approval. See terms. US customers only.

206 954 1448 - Tom 541 980 7390 - Jim ztechgrip.com info@ztechgrip.com



FORM


- 1. Ergonomically curved grip for maximum casting control.
- 2. Only grips not made from production graphite tubing.
- 3. Fore grips are triangular shaped to prevent rod roll-over for maximum control and stability on reeling / cranking in large fish. See Fig. 2
- 4. Curved rear grip for maximum casting distance and control.
- 5. Angled butt cap for comfort, power and control.


FUNCTION

- Grip contact to rod handle and reel seat means maximum strike sensitivity for a better hook set.
- Because the blank curves through the entire length of the grip to the butt. It relieves stress on any one point. See Fig. 1
- 3. Casting grip palm rest prevents your hand sliding down the grip and allows for better technique in handling fish.

BEAUTY

Design features add grace, sensativity, strength and durability; translating to pure art in motion.





All of the EVA bushings for graphite tubing, trim rings, winding checks are available on most any rod building web page.

MODEL LENGTH LINE WT. LUREE WT. POWER ACTION PCS COLOR

CT SERIES CASTING

CT 290F	9'	6-15	3/16-3/4	2	Fast	2	Green
CT 296F	9'-6"	6-15	3/16-3/4	2	Fast	2	Green
CT 386F	8'-6"	8-20	1/4-1	3	Fast	2	Green
CT 390	9'	10-20	1/4-1 1/4	3	Med/fast	2	Green
CT396F	9'6"	8-12	1/4-1	2	Fast	2	Green
CT 490	9'	12-25	3/8-1 1/2	4	Med/fast	2	Green
CT 2106	10'-6"	8-17	1/4-1	2	Med/fast	2	Green
CT 3106	10'-6"	10-20	3/8-1 1/4	3	Med/fast	2	Green
CT 3113M	11'-3"	10-20	1/4-1	3	Med	2	Green
CT 4110	11'	14-25	3/8-1 1/2	4	Med/fast	2	Green
CT 4120	12'	14-25	3/8-1 1/2	4	Med/fast	2	Green

CP SERIES CENTER PIN

CP 3106L	10'-6"	8-17	1-1 3/4	3	Light CP	2	Brown
GSH3113M	11'-3"	12-20	1 1/4-2	3	Med CP	2	Brown
GSH 2106L	10'-6"	6-14	5/8-1	2	Light CP	2	Brown
GSH 3113L	11'-3"	10-17	1-1 3/4	3	Light CP	2	Brown

SP SERIES SPINNING

SP 196	9'-6"	4-10	1/16-1/2	1	Light	2	Green
SP 296	9'-6"	8-17	3/16-3/4	2	Fast	2	Green
SP 570-3	7'	10-20	1/2-2	3	Fast	3	Green

SA SERIES SINGLE ACTION

SA 3106	10'-6"	12-25	3-8	3	SA SW	2	Blue
SA 4100	10'	15-30	6-12	4	SA SW	2	Blue
SA 4109	11'	15-30	6-12	4	SA SW	2	Blue
SA 4120	12'	15-30	6-12	4	SA SW	2	Blue

GEAR ROD BLANKS

AUTHORIZED DEALER







